

FERRO ***INDUSTRIES***

PRODUCT CATALOG

35200 Union Lake Road, Harrison Township, MI 48045

ferroind.com | 800-343-3776 | backuppads.com



PART NUMBER	COMPUTER NUMBER	DIAMETER	FACING	THREAD SIZE	MAX RPM
70515V	5115	5"	PSA	5/16 x 24	12,000
70516V	5116	6"	PSA	5/16 x 24	10,000
J70515	5215	5"	Hook	5/16 x 24	12,000
J70516	5216	6"	Hook	5/16 x 24	10,000

Firm, low profile urethane molded pad with a heavy duty riveted composite hub.



PART NUMBER	COMPUTER NUMBER	DIAMETER	FACING	THREAD SIZE	MAX RPM
70515V-H5	55115	5"	PSA	5/16 x 24	12,000
70516V-H6	65116	6"	PSA	5/16 x 24	10,000
J70515-H5	55215	5"	Hook	5/16 x 24	12,000
J70516-H6	65216	6"	Hook	5/16 x 24	10,000

Firm, low profile urethane molded pad with a heavy duty riveted composite hub and standard hole pattern for vacuum assist sanding.



PART NUMBER	COMPUTER NUMBER	DIAMETER	FACING	THREAD SIZE	MAX RPM
70595V	5135	5"	PSA	5/16 x 24	12,000
70596V	5316	6"	PSA	5/16 x 24	10,000
J70595	5235	5"	Hook	5/16 x 24	12,000
J70596	5236	6"	Hook	5/16 x 24	10,000

Medium edge urethane molded pad that is firm enough for flat surfaces, yet soft enough for curved surfaces. Designed with a heavy duty riveted composite hub.



PART NUMBER	COMPUTER NUMBER	DIAMETER	FACING	THREAD SIZE	MAX RPM
70595V-H5	55135	5"	PSA	5/16 x 24	12,000
70596V-H6	65316	6"	PSA	5/16 x 24	10,000
J70595-H5	55235	5"	Hook	5/16 x 24	12,000
J70596-H6	65236	6"	Hook	5/16 x 24	10,000

Medium edge urethane molded pad that is firm enough for flat surfaces, yet soft enough for curved surfaces. Designed with a heavy duty riveted composite hub.



PART NUMBER	COMPUTER NUMBER	DIAMETER	FACING	THREAD SIZE	MAX RPM
70665V	5185	5"	PSA	5/16 x 24	12,000
70666V	5186	6"	PSA	5/16 x 24	10,000
J70665	5285	5"	Hook	5/16 x 24	12,000
J70666	5286	6"	Hook	5/16 x 24	10,000
70665V-H5	55815	5"	PSA	5/16 x 24	12,000
70666V-H6	65186	6"	PSA	5/16 x 24	10,000
J70665-H5	55285	5"	Hook	5/16 x 24	12,000
J70666-H6	65286	6"	Hook	5/16 x 24	10,000

Soft edge urethane molded pad for use on curved and contoured surfaces.



PART NUMBER	COMPUTER NUMBER	DIAMETER	FACING	THREAD SIZE	MAX RPM
40415V	5125	5"	PSA	5/16 x 24	12,000
40416V	5126	6"	PSA	5/16 x 24	10,000
J40415	5225	5"	Hook	5/16 x 24	12,000
J40416	5226	6"	Hook	5/16 x 24	10,000

Firm, low profile urethane molded pad with a heavy duty riveted plastic hub. Also available in 4" diameter.





PART NUMBER	COMPUTER NUMBER	DIAMETER	FACING	THREAD SIZE	MAX RPM
40415V-H5	55125	5"	PSA	5/16 x 24	12,000
40416V-H6	65126	6"	PSA	5/16 x 24	10,000
J40415-H5	55225	5"	Hook	5/16 x 24	12,000
J40416-H6	65226	6"	Hook	5/16 x 24	10,000

Firm, low profile urethane molded pad with a heavy duty riveted plastic hub and standard hole pattern for vacuum assist sanding.



PART NUMBER	COMPUTER NUMBER	DIAMETER	FACING	THREAD SIZE	MAX RPM
40495V	5145	5"	PSA	5/16 x 24	10,000
40496V	5146	6"	PSA	5/16 x 24	10,000
J40495	5245	5"	Hook	5/16 x 24	10,000
J40496	5246	6"	Hook	5/16 x 24	10,000

Medium edge urethane molded pad that is firm enough for flat surfaces, yet soft enough for curved surfaces. Designed with a heavy duty riveted plastic hub.



PART NUMBER	COMPUTER NUMBER	DIAMETER	FACING	THREAD SIZE	MAX RPM
40495V-H5	55145	5"	PSA	5/16 x 24	10,000
40496V-H6	65146	6"	PSA	5/16 x 24	10,000
J40495-H5	55245	5"	Hook	5/16 x 24	10,000
J40496-H6	65246	6"	Hook	5/16 x 24	10,000

Medium edge urethane molded pad that is firm enough for flat surfaces, yet soft enough for curved surfaces. Designed with a heavy duty riveted plastic hub and standard hole pattern for vacuum assist sanding.



PART NUMBER	COMPUTER NUMBER	DIAMETER	FACING	THREAD SIZE	MAX RPM
40495SV	5165	5"	PSA	5/16 x 24	10,000
40496SV	5166	6"	PSA	5/16 x 24	10,000
J40495S	5265	5"	Hook	5/16 x 24	10,000
J40496S	5266	6"	Hook	5/16 x 24	10,000

Medium urethane molded pad with soft edge for increased flexibility. Designed with a heavy duty plastic riveted hub. Also available with standard hole patterns for vacuum assist sanding.



PART NUMBER	COMPUTER NUMBER	DIAMETER	FACING	THREAD SIZE	MAX RPM
40493 1/2V	5143	3 1/2"	PSA	5/16 x 24	10,000
J40493 1/2	5243	3 1/2"	Hook	5/16 x 24	10,000

Medium urethane molded edge pad that is firm enough for flat surfaces, yet soft enough for curved surfaces. Designed with a heavy duty plastic riveted hub. Also available in a firm, low profile urethane molded pad.



PART NUMBER	COMPUTER NUMBER	DIAMETER	FACING	THREAD SIZE	MAX RPM
5415L	4115	5"	PSA	5/16 x 24	10,000
5416L	4116	6"	PSA	5/16 x 24	10,000
J5415	4215	5"	Hook	5/16 x 24	10,000
J5416	4216	6"	Hook	5/16 x 24	10,000

Bonded DA pad with a soft edge for curved surfaces.



35201 UNION LAKE ROAD - PO BOX 86 - MOUNT CLEMENS - MI - 48046 - USA

800.343.3776 586.792.6001 (phone) 586.792.6006 (fax) ferroind@aol.com

www.FERROIND.com



PART NUMBER	COMPUTER NUMBER	DIAMETER	FACING	THREAD SIZE	MAX RPM
51598M5V	1158	8"	PSA	5 mounting holes	1,500
51598M6V	1168	8"	PSA	6 mounting holes	1,500
J51598M5	1258	8"	Hook	5 mounting holes	1,500
J51598M6	1268	8"	Hook	6 mounting holes	1,500

8" urethane molded sanding pad with 5 or 6 mounting holes for use on National Detroit, Chicago Pneumatic, Dynabrade and Snap-On tools.



PART NUMBER	COMPUTER NUMBER	DIAMETER	FACING	THREAD SIZE	MAX RPM
51598M5V-H8	81158	8"	PSA	5 mounting holes	1,500
51598M6V-H8	81168	8"	PSA	6 mounting holes	1,500
J51598M5-H8	81258	8"	Hook	5 mounting holes	1,500
J51598M6-H8	81268	8"	Hook	6 mounting holes	1,500

8" urethane molded sanding pad with 5 or 6 mounting holes for use on National Detroit, Chicago Pneumatic, Dynabrade and Snap-On tools. Designed with standard hole pattern for vacuum assist sanding.



PART NUMBER	COMPUTER NUMBER	DIAMETER	FACING	THREAD SIZE	MAX RPM
5855TL	4185	5"	PSA	5/16 x 24	6,000
5856TL	4886	6"	PSA	5/16 x 24	6,000
J5855	4285	5"	Hook	5/16 x 24	6,000
J5856	4286	6"	Hook	5/16 x 24	6,000
5855TL-H5	54185	5"	PSA	5/16 x 24	6,000
5856TL-H6	64186	6"	PSA	5/16 x 24	6,000
J5855-H5	54285	5"	Hook	5/16 x 24	6,000
J5856-H6	64286	6"	Hook	5/16 x 24	6,000

Soft, dual density, bonded dual action pad for use on curved and contoured surfaces.



PART NUMBER	COMPUTER NUMBER	DIAMETER	FACING	THREAD SIZE	MAX RPM
8416L-H8		6"	PSA	5/16 x 24	10,000
J8416-H8		6"	Hook	5/16 x 24	10,000

6" bonded sanding pad with vacuum holes designed for use on Fein sander.



35201 UNION LAKE ROAD - PO BOX 86 - MOUNT CLEMENS - MI - 48046 - USA

800.343.3776 586.792.6001 (phone) 586.792.6006 (fax) ferroind@aol.com

www.FERROIND.com





PART NUMBER	COMPUTER NUMBER	DIAMETER	FACING	THREAD SIZE	MAX RPM
60618D	6018	8"	Cloth	5/8 x 11	4,800
60618V	6118	8"	PSA	5/8 x 11	4,800
J60618	6218	8"	Hook	5/8 x 11	4,800

Firm urethane molded sanding pad for medium to heavy stock removal. Thin enough to get into difficult areas. Also available in 5", 6" and 7" diameters.



PART NUMBER	COMPUTER NUMBER	DIAMETER	FACING	THREAD SIZE	MAX RPM
60658D	6058	8"	Cloth	5/8 x 11	4,800
60658V	6158	8"	PSA	5/8 x 11	4,800
J60658	6258	8"	Hook	5/8 x 11	4,800

Medium urethane molded sanding pad that is firm enough for flat surfaces, yet soft enough for curved surfaces. Also available in 5", 6" and 7" diameters.



PART NUMBER	COMPUTER NUMBER	DIAMETER	FACING	THREAD SIZE	MAX RPM
60678D	6078	8"	Cloth	5/8 x 11	3,200
60678V	6178	8"	PSA	5/8 x 11	3,200
J60678	6278	8"	Hook	5/8 x 11	3,200

Soft urethane molded sanding pad that is firm enough for flat surfaces, yet soft enough for curved surfaces.



PART NUMBER	COMPUTER NUMBER	DIAMETER	FACING	THREAD SIZE	MAX RPM
EXP60658D	6088	8"	Cloth	5/8 x 11	4,800
EXP60658V	6188	8"	PSA	5/8 x 11	4,800
JEXP60658	6288	8"	Hook	5/8 x 11	4,800

Medium urethane molded sanding pad with an extremely flexible edge. Designed for feathering and sanding curved surfaces. Also available in 5" and 6" diameters.



PART NUMBER	COMPUTER NUMBER	DIAMETER	FACING	THREAD SIZE	MAX RPM
60658SD	6068	8"	Cloth	5/8 x 11	4,800
60658SV	6168	8"	PSA	5/8 x 11	4,800
J60658S	6268	8"	Hook	5/8 x 11	4,800

Medium urethane molded sanding pad with soft edge for curved surfaces. Also available in 7" diameters.



PART NUMBER	COMPUTER NUMBER	DIAMETER	FACING	THREAD SIZE	MAX RPM
608D	7068	8"	Cloth	5/8 x 11	4,800
608L	7168	8"	PSA	5/8 x 11	4,800
J608	7268	8"	Hook	5/8 x 11	4,800

Firm bonded sanding pad for medium to heavy stock removal. Thin enough to get into difficult areas. Also available in 3", 4", 5", 6" and 7" diameters.



35201 UNION LAKE ROAD - PO BOX 86 - MOUNT CLEMENS - MI - 48046 - USA

800.343.3776 586.792.6001 (phone) 586.792.6006 (fax) ferroind@aol.com

www.FERROIND.com





PART NUMBER	COMPUTER NUMBER	DIAMETER	FACING	THREAD SIZE	MAX RPM
708D	7078	8"	Cloth	5/8 x 11	4,800
708L	7178	8"	PSA	5/8 x 11	4,800
J708	7278	8"	Hook	5/8 x 11	4,800

Medium bonded sanding pad for use on curved surfaces. Also available in 3", 4", 5", 6" and 7" diameters.



PART NUMBER	COMPUTER NUMBER	DIAMETER	FACING	THREAD SIZE	MAX RPM
808D	7088	8"	Cloth	5/8 x 11	3,200
808L	7188	8"	PSA	5/8 x 11	3,200
J808	7288	8"	Hook	5/8 x 11	3,200

Super soft bonded pad that is ideal for feather edging painted surfaces. Also available in 3", 4", 5", 6" and 7" diameters.



PART NUMBER	COMPUTER NUMBER	DIAMETER	FACING	THREAD SIZE	MAX RPM
858D	7058	8"	Cloth	5/8 x 11	3,200
858L	7158	8"	PSA	5/8 x 11	3,200
J858	7258	8"	Hook	5/8 x 11	3,200

Soft bonded pad with medium range of support. Designed for feather edging painted surfaces. Also available in 3", 4", 5", 6" and 7" diameters.



35201 UNION LAKE ROAD - PO BOX 86 - MOUNT CLEMENS - MI - 48046 - USA

800.343.3776 586.792.6001 (phone) 586.792.6006 (fax) ferroind@aol.com

www.FERROIND.com



Pads for use with Non-Woven Abrasive Discs



PART NUMBER	COMPUTER NUMBER	DIAMETER	FACING	THREAD SIZE	MAX RPM
GP-15	7365	5"	Large Hook	5/8 x 11	4,800
GP-16	7366	6"	Large Hook	5/8 x 11	4,800
GP-17	7367	7"	Large Hook	5/8 x 11	4,800
GP-18	7368	8"	Large Hook	5/8 x 11	4,800

Firm bonded pad with 1/4" foam. Designed for the refinishing of flat surfaces with non-woven abrasive discs.



PART NUMBER	COMPUTER NUMBER	DIAMETER	FACING	THREAD SIZE	MAX RPM
GP-35	7375	5"	Large Hook	5/8 x 11	4,800
GP-36	7376	6"	Large Hook	5/8 x 11	4,800
GP-37	7377	7"	Large Hook	5/8 x 11	4,800
GP-38	7378	8"	Large Hook	5/8 x 11	4,800

Medium bonded pad with 11/16" foam. Designed for the refinishing of curved surfaces with non-woven abrasive discs.



PART NUMBER	COMPUTER NUMBER	DIAMETER	FACING	THREAD SIZE	MAX RPM
GP-914U	6394	4"	Large Hook	5/8 x 11	10,000
GP-915U	6395	5"	Large Hook	5/8 x 11	10,000
GP-916U	6396	6"	Large Hook	5/8 x 11	6,000
GP-917U	6397	7"	Large Hook	5/8 x 11	6,000

Firm pad with urethane molded center. This is an extremely durable pad with special female thread sizes available. Designed for the refinishing of flat surfaces with non-woven abrasive discs.



PART NUMBER	COMPUTER NUMBER	DIAMETER	FACING	THREAD SIZE	MAX RPM
GP-71 1/2	3371	1 1/2"	Large Hook	1/4" Shaft	6,000
GP-72	3372	2"	Large Hook	1/4" Shaft	6,000
GP-73	3373	3"	Large Hook	1/4" Shaft	6,000
GP-74	3374	4"	Large Hook	1/4" Shaft	6,000
GP-75	3375	5"	Large Hook	1/4" Shaft	6,000

Firm bonded pad with 1/8" foam and 1/4" steel shaft for use with non-woven abrasive discs. Also available for PSA and hook & loop sandpaper discs.



35201 UNION LAKE ROAD - PO BOX 86 - MOUNT CLEMENS - MI - 48046 - USA

800.343.3776 586.792.6001 (phone) 586.792.6006 (fax) ferroind@aol.com

www.FERROIND.com





PART NUMBER	COMPUTER NUMBER	DIAMETER	FACING	THREAD SIZE	MAX RPM
2185	2185	5"	PSA	N/A	N/A
2186	2186	6"	PSA	N/A	N/A
2285	2285	5"	Hook	N/A	N/A
2286	2286	6"	Hook	N/A	N/A

Flexible Half Moon hand pad for use with PSA and hook & loop abrasive discs.



PART NUMBER	COMPUTER NUMBER	DIAMETER	FACING	THREAD SIZE	MAX RPM
2255	2155	2 5/8" x 5 1/4"	PSA	N/A	N/A

A firm hand pad for use with three-fold wet or dry sandpaper. Designed for use on almost any shape or surface.



PART NUMBER	COMPUTER NUMBER	DIAMETER	FACING	THREAD SIZE	MAX RPM
2355	2355	2 5/8" x 4 7/8"	PSA	N/A	N/A

Firm hand pad for use with 5" discs. Designed for use on almost any shape or surface.



PART NUMBER	COMPUTER NUMBER	DIAMETER	FACING	THREAD SIZE	MAX RPM
2455	2165	2 5/8" x 5 1/2"	PSA	N/A	N/A

A dual density pad for use with three-fold wet or dry sandpaper. Designed for use on almost any shape or surface.



PART NUMBER	COMPUTER NUMBER	DIAMETER	FACING	THREAD SIZE	MAX RPM
2655	2655	2 5/8" x 4 7/8"	N/A	N/A	N/A

A firm hand pad for use with three-fold wet or dry sandpaper. Designed for use on almost any shape or surface.



PART NUMBER	COMPUTER NUMBER	DIAMETER	FACING	THREAD SIZE	MAX RPM
2115	2115	5"	PSA	1/8"	
2116	2116	6"	PSA	1/8"	
HS-5	2105	5"	PSA	3/8"	
HS-6	2106	6"	PSA	3/8"	
JHS-5	2205	5"	Hook	3/8"	
JHS-6	2206	6"	Hook	3/8"	

Flexible hand pads for use with PSA and hook & loop sandpaper discs. Designed for use on almost any shape or surface.



PART NUMBER	COMPUTER NUMBER	DIAMETER	FACING	THREAD SIZE	MAX RPM
PS-3V	2130	3"	PSA	N/A	N/A
JPS-3	2230	3"	Hook	N/A	N/A

Round urethane molded palm sander that fits easily into your hand.



PART NUMBER	COMPUTER NUMBER	DIAMETER	FACING	THREAD SIZE	MAX RPM
PS-35V	2135	3" x 5"	PSA	N/A	N/A
JPS-35	2235	3" x 5"	Hook	N/A	N/A

Rectangular urethane molded palm sander 3" x 5" that fits comfortably in your hand.



PART NUMBER	COMPUTER NUMBER	DIAMETER	FACING	THREAD SIZE	MAX RPM
PS-50V	2150	5"	PSA	N/A	N/A
PS-60V	2160	6"	PSA	N/A	N/A
JPS-50	2250	5"	Hook	N/A	N/A
JPS-60	2260	6"	Hook	N/A	N/A

Round urethane molded palm sander that fits easily into your hand.





PART NUMBER	COMPUTER NUMBER	DIAMETER	FACING	THREAD SIZE	MAX RPM
895	8895	5"	N/A	5/8 x 11	2,000
896	8896	6"	N/A	5/8 x 11	2,000
897	8897	7"	N/A	5/8 x 11	2,000
898	8898	8"	N/A	5/8 x 11	2,000

Medium soft polishing pad designed to be used on acrylic enamel & clearcoat finishes. Available in coarse and fine foam, also available with quick change loop backing.



PART NUMBER	COMPUTER NUMBER	DIAMETER	FACING	THREAD SIZE	MAX RPM
J706RT	8276	7"	Hook	5/8 x 11	2,000
J776RT	8216	7"	Hook	5/8 x 11	2,000

Pad holder designed to hold lambswool bonnets and foam polishing pads. J776RT has centering post.



PART NUMBER	COMPUTER NUMBER	DIAMETER	FACING	THREAD SIZE	MAX RPM
6000	6000	N/A	N/A	N/A	N/A

Pad Conditioner - Ergonomically designed brush for cleaning and reconditioning foam and wool polishing and buffing pads.

Pads for use on Angle Polishers



35201 UNION LAKE ROAD - PO BOX 86 - MOUNT CLEMENS - MI - 48046 - USA
 800.343.3776 586.792.6001 (phone) 586.792.6006 (fax) ferroind@aol.com
www.FERROIND.com





PART NUMBER	COMPUTER NUMBER	DIAMETER	FACING	THREAD SIZE	MAX RPM
964	964	4"	N/A	5/8 x 11	7,000
965	965	5"	N/A	5/8 x 11	7,000
967	967	7"	N/A	5/8 x 11	7,000

Heavy duty grinding support. Also available with 1/16" and 1/4" foam.



PART NUMBER	COMPUTER NUMBER	DIAMETER	FACING	THREAD SIZE	MAX RPM
99245	99245	4 1/2"	N/A	5/8 x 11	6,000
9925	9925	5"	N/A	5/8 x 11	6,000
9927	9927	7"	N/A	5/8 x 11	6,000
999	999	Retainer Nut	N/A	5/8 x 11	N/A

Medium rubber grinding pad w/nut.



PART NUMBER	COMPUTER NUMBER	DIAMETER	FACING	THREAD SIZE	MAX RPM
BP-3	9003	3"	N/A	7/8" centering hole	6,000
BP-4	9004	4"	N/A	7/8" centering hole	6,000
BP-5	9005	5"	N/A	7/8" centering hole	6,000
BP-7	9007	7"	N/A	7/8" centering hole	6,000
BP-9	9009	9"	N/A	7/8" centering hole	6,000

Reinforced phenolic backing plate with 7/8" depressed center hole.

Pads for use on Angle Grinders



35201 UNION LAKE ROAD - PO BOX 86 - MOUNT CLEMENS - MI - 48046 - USA
 800.343.3776 586.792.6001 (phone) 586.792.6006 (fax) ferroind@aol.com
www.FERROIND.com





PART NUMBER	COMPUTER NUMBER	DIAMETER	FACING	THREAD SIZE	MAX RPM
385	8385	5"	N/A	1/4" shaft	2,000
386	8386	6"	N/A	1/4" shaft	2,000

1" thick polyester foam polishing pad with a 1/4" steel shaft. Designed for the do-it-yourselfer, this pad turns any electric drill into a professional polishing tool.



PART NUMBER	COMPUTER NUMBER	DIAMETER	FACING	THREAD SIZE	MAX RPM
585NT	8585	5"	N/A	5/16 x 24	2,000
586NT	8586	6"	N/A	5/16 x 24	2,000
588NT	8588	8"	N/A	5/16 x 24	2,000

Polishing pad designed to be used with a terry cloth bonnet on a dual action tool. Manufactured for automotive assembly plants to facilitate the removal of minor imperfections in clearcoat finishes. Also available with 5/8 x 11 female thread.



PART NUMBER	COMPUTER NUMBER	DIAMETER	FACING	THREAD SIZE	MAX RPM
0305N	3105	5"	PSA	1/4" shaft	2,500
0306N	3106	6"	PSA	1/4" shaft	2,500
J0305N	3205	5"	Hook	1/4" shaft	2,500
J0306N	3206	6"	Hook	1/4" shaft	2,500

Sanding pad with a 1/4" steel shaft and 3/8" foam. Designed for the do-it-yourselfer, this pad turns any electric drill into a professional sanding tool.



PART NUMBER	COMPUTER NUMBER	DIAMETER	FACING	THREAD SIZE	MAX RPM
1305N	3115	5"	PSA	3/8" Hex Head	2,500
1306N	3116	6"	PSA	3/8" Hex Head	2,500
J1305N	3215	5"	Hook	3/8" Hex Head	2,500
J1306N	3216	6"	Hook	3/8" Hex Head	2,500

Sanding pad with a 3/8" hex head shaft and 3/8" foam. Designed for the do-it-yourselfer, this pad will fit most quick change adapters.



PART NUMBER	COMPUTER NUMBER	DIAMETER	FACING	THREAD SIZE	MAX RPM
3001	3001	1 1/2"	N/A	N/A	30,000
3002	3002	2"	N/A	N/A	30,000
3003	3003	3"	N/A	N/A	25,000
3004	3004	4"	N/A	N/A	18,000

Disc holder for all Type "R" abrasive products. Also available for all Type "S" abrasive products.



PART NUMBER	COMPUTER NUMBER	DIAMETER	FACING	THREAD SIZE	MAX RPM
FS-1	2101	1 1/4"	PSA	N/A	N/A
JFS-1	2201	1 1/4"	Hook	N/A	N/A

1 1/4" finger sander that is used with ultra fine sandpaper. Designed for removing minor imperfections.



PART NUMBER	COMPUTER NUMBER	DIAMETER	FACING	THREAD SIZE	MAX RPM
J05	4325	5"	Hook	N/A	N/A
J06	4236	6"	Hook	N/A	N/A
J05-H5	54235	5"	Hook	w/5 vacuum holes	N/A
J06-H6	64236	6"	Hook	w/6 vacuum holes	N/A

Interface pad for hook and loop discs. Also available in 3", 4", 7" and 8" diameters. Also available for PSA discs and with standard hole patters for vacuum assist sanding.



35201 UNION LAKE ROAD - PO BOX 86 - MOUNT CLEMENS - MI - 48046 - USA

800.343.3776 586.792.6001 (phone) 586.792.6006 (fax) ferroind@aol.com

www.FERROIND.com



PART NUMBER	COMPUTER NUMBER	DIAMETER	FACING	THREAD SIZE	MAX RPM
-------------	-----------------	----------	--------	-------------	---------

4200 4200 N/A N/A N/A N/A

Stripe Applicator - Designed to be used to apply vinyl stripes, lettering and decals without damaging or tearing the vinyl material. Made of high quality compressed felt material.



PART NUMBER	COMPUTER NUMBER	DIAMETER	FACING	THREAD SIZE	MAX RPM
-------------	-----------------	----------	--------	-------------	---------

5000 5000 N/A N/A N/A N/A


Cushion Mallet - Designed to reduce marring and damage during assembly applications. It can be used on all types of surfaces and assemblies including hard and soft metals, glass, wood and plastic.



PART NUMBER	COMPUTER NUMBER	DIAMETER	
-------------	-----------------	----------	--

70064 70064 7/8" x 60' 7 rolls / case
70065 70065 1/2" x 60' 12 rolls / case

Double sided attachment tape.



PART NUMBER	COMPUTER NUMBER	DIAMETER	FACING	THREAD SIZE	MAX RPM
-------------	-----------------	----------	--------	-------------	---------

160 160 2 3/4" x 16 1/2" PSA N/A N/A
J160 260 2 3/4" x 16 1/2" Hook N/A N/A

Straight line standing shoe. Designed for use with both PSA, clip on, and hook and loop file board sandpaper.



35201 UNION LAKE ROAD - PO BOX 86 - MOUNT CLEMENS - MI - 48046 - USA

800.343.3776 586.792.6001 (phone) 586.792.6006 (fax) ferroind@aol.com

www.FERROIND.com